

HYGIENIST PROPHY PACKAGES INCLUDES:

Package No. 1 Order No. 1600001 includes:
 1600101 25,000 R.P.M. Air Motor
 1600202 4:1 Reduction Contra Angle
 1600401 Snap-On Sealed Propfy Head

Package No. 2 Order No. 1600002 includes:
 1600101 25,000 R.P.M. Air Motor
 1600202 4:1 Reduction Contra Angle
 1600402 Screw-In Sealed Propfy Head



Order No. 1600001



DOCTOR,S PACKAGE INCLUDES:

Package Order No. 1600003 includes:
 1600101 25,000 R.P.M. Air Motor
 1600201 1:1 Contra Angle
 1600301 Straight Nose Cone
 1600403 Standard Latch Head



Order No. 1600003



PROPHY HEADS

Fits All 12 Tooth
ISO E Type Attachments
Including NSK.



CONTRA ANGLE ATTACHMENTS

Fits All ISO E Type Air & Electric Motors
Including BIEN AIR, CHAMPION, KAVO, NSK, MTI, W&H.



SLOW SPEED MOTOR

Accepts All ISO E Type Attachments Including
BIEN AIR, CHAMPION, KAVO, NSK, MTI, W&H.
One-touch release system.

Fits directly onto MIDWEST 4 Hole Handpiece Tubing.



Variable speed to a maximum of 25,000 R.P.M.
with forward & reverse direction control.



Variable speed to a maximum of 5,000 R.P.M.
with forward & reverse direction control.

MIDWEST & STAR type heads are also available from SABLE.



SPECIFICATIONS	RECOMMENDED AIR PRESSURE	R.P.M.	STYLE	SPECIAL FEATURES
SABLE Slow Speed Systems	40 PS.I.	0-25,000 R.P.M., 0-5,000 R.P.M.	ISO E-TYPE 4 HOLE	ALL COMPONENTS FULLY AUTOCLAVABLE

Warranty: 1 Year on Air Motors, 3 Months on Contra Angles, 30 Days on Heads

100 Campbell Avenue Suite 5, Kitchener, Ontario N2H 4X8 Canada

Tel: (519) 579-9323 or 1-800-368-8106 Fax: (519) 579-9324

e-mail: info@sableindustriesinc.com www.sableindustriesinc.com

PROPHY PLUS SLOW SPEED HANDPIECE



ORDER No. 1600004



RECOMMENDED AIR PRESSURE	MAXIMUM R.P.M.	STYLE	FEATURES
45 P.S.I.	0-5,000 R.P.M.	ISO 4 HOLE Straight Air Motor	<ul style="list-style-type: none"> • High torque. • 360° Swivel nosecone. • Accepts all ISO and doriet-style straight burs, U-style heads and disposable profy angles. • Positive open/close chuck mechanism. • Weighs 4.5 O.Z. • Forward or reverse. • Fully autoclavable.

HYGIENIST PROPHY HANDPIECE



ORDER No. 1600005



RECOMMENDED AIR PRESSURE	MAXIMUM R.P.M.	STYLE	FEATURES
45 P.S.I.	0-5,000 R.P.M.	ISO 4 HOLE Straight Air Motor	<ul style="list-style-type: none"> • High torque. • 360° Swivel nosecone. • Accepts all hygienist disposable and metal profy angles. • Friction grip style chuck. • Weighs 2.8 O.Z. • Fully autoclavable.

STRAIGHT SLOW SPEED & HYGIENIST ATTACHMENTS



ORDER No. 1600301



- SABLE 1:1 STRAIGHT NOSECONE**
- Fits all ISO E-type Air Motors.
 - Positive open/close chuck mechanism.



ORDER No. 1600302



- SABLE MIDWEST 1:1 STRAIGHT NOSECONE**
- Fits all MIDWEST Rhino & Shorty Air Motors.
 - Positive open/close chuck mechanism.



ORDER No. 1600303



- SABLE 4:1 REDUCTION STRAIGHT NOSECONE**
- Fits all ISO E-type Air Motors.
 - Positive open/close chuck mechanism.
 - Excellent for high torque lab trimming.

Warranty: 12 Months.

100 Campbell Avenue Suite 5, Kitchener, Ontario N2H 4X8 Canada

Tel: (519) 579-9323 or 1-800-368-8106 Fax: (519) 579-9324

e-mail: info@sableindustriesinc.com

www.sableindustriesinc.com

HYGIENIST PROPHY PACKAGES INCLUDES:

Package No. 1 Order No. 1600001 includes:
 1600101 25,000 R.P.M. Air Motor
 1600202 4:1 Reduction Contra Angle
 1600401 Snap-On Sealed Propy Head

Package No. 2 Order No. 1600002 includes:
 1600101 25,000 R.P.M. Air Motor
 1600202 4:1 Reduction Contra Angle
 1600402 Screw-In Sealed Propy Head



Order No. 1600001



DOCTOR,S PACKAGE INCLUDES:

Package Order No. 1600003 includes:
 1600101 25,000 R.P.M. Air Motor
 1600201 1:1 Contra Angle
 1600301 Straight Nose Cone
 1600403 Standard Latch Head



Order No. 1600003



PROPHY HEADS

Fits All 12 Tooth
ISO E Type Attachments
Including NSK.



CONTRA ANGLE ATTACHMENTS

Fits All ISO E Type Air & Electric Motors
Including BIEN AIR, CHAMPION, KAVO, NSK, MTI, W&H.



SLOW SPEED MOTOR

Accepts All ISO E Type Attachments Including
BIEN AIR, CHAMPION, KAVO, NSK, MTI, W&H.
One-touch release system.

Fits directly onto MIDWEST 4 Hole Handpiece Tubing.



Variable speed to a maximum of 25,000 R.P.M.
with forward & reverse direction control.



Variable speed to a maximum of 5,000 R.P.M.
with forward & reverse direction control.

MIDWEST & STAR type heads are also available from SABLE.



SPECIFICATIONS	RECOMMENDED AIR PRESSURE	R.P.M.	STYLE	SPECIAL FEATURES
SABLE Slow Speed Systems	40 P.S.I.	0-25,000 R.P.M., 0-5,000 R.P.M.	ISO E-TYPE 4 HOLE	ALL COMPONENTS FULLY AUTOCLAVABLE


Warranty: 1 Year on Air Motors, 3 Months on Contra Angles, 30 Days on Heads

100 Campbell Avenue Suite 5, Kitchener, Ontario N2H 4X8 Canada

Tel: (519) 579-9323 or 1-800-368-8106 Fax: (519) 579-9324

e-mail: info@sableindustriesinc.com www.sableindustriesinc.com

PROPHY PLUS SLOW SPEED HANDPIECE



ORDER No. 1600004



RECOMMENDED AIR PRESSURE

MAXIMUM R.P.M.

STYLE

FEATURES

45 P.S.I.

0-5,000 R.P.M.

ISO 4 HOLE
Straight Air Motor

- High torque.
- 360° Swivel nosecone.
- Accepts all ISO and doriet-style straight burs, U-style heads and disposable prophy angles.
- Positive open/close chuck mechanism.
- Weighs 4.5 O.Z.
- Forward or reverse.
- Fully autoclavable.

HYGIENIST PROPHY HANDPIECE



ORDER No. 1600005



RECOMMENDED AIR PRESSURE

MAXIMUM R.P.M.

STYLE

FEATURES

45 P.S.I.

0-5,000 R.P.M.

ISO 4 HOLE
Straight Air Motor

- High torque.
- 360° Swivel nosecone.
- Accepts all hygienist disposable and metal prophy angles.
- Friction grip style chuck.
- Weighs 2.8 O.Z.
- Fully autoclavable.

STRAIGHT SLOW SPEED & HYGIENIST ATTACHMENTS



ORDER No. 1600301



SABLE 1:1 STRAIGHT NOSECONE

- Fits all ISO E-type Air Motors.
- Positive open/close chuck mechanism.



ORDER No. 1600302



SABLE MIDWEST 1:1 STRAIGHT NOSECONE

- Fits all MIDWEST Rhino & Shorty Air Motors.
- Positive open/close chuck mechanism.



ORDER No. 1600303



SABLE 4:1 REDUCTION STRAIGHT NOSECONE

- Fits all ISO E-type Air Motors.
- Positive open/close chuck mechanism.
- Excellent for high torque lab trimming.

Warranty: 12 Months.

100 Campbell Avenue Suite 5, Kitchener, Ontario N2H 4X8 Canada

Tel: (519) 579-9323 or 1-800-368-8106 Fax: (519) 579-9324

e-mail: info@sableindustriesinc.com

www.sableindustriesinc.com